IN THE CLAIMS:

Please amend the claims as follows:

- 1. (Currently Amended) A radiation exposure recording device comprising:
- a radiation exposure recording medium;
- a housing that at least partly surrounds the radiation exposure recording medium;
- a first detector that detects a first radiation exposure and produces at least one signal in response to detecting the first radiation exposure;
 - a clock circuit providing a current time signal;
- a storage circuit communicating with the first detector and the clock circuit to the current time signal at the time of the first radiation exposure; and
- a wireless transmitter receiving the stored current time from the storage circuit to transmit a wireless digital signal based upon the electric signal to a remote device.
 - 2.-3. (Cancelled)
- 4. (Original) The radiation exposure recording device of claim 1, wherein the radiation exposure recording medium is a radiation-sensitive film.
- 5. (Original) The radiation exposure recording device of claim 1, wherein the radiation exposure recording medium is a photostimulable plate.
 - 6.-9. (Cancelled)
- 10. (Currently Amended) The radiation exposure recording device of claim 1 A radiation exposure recording device comprising:
 - a radiation exposure recording medium;
 - a housing that at least partly surrounds the radiation exposure recording medium;
- a first detector that detects a first radiation exposure and produces at least one signal in response to detecting the first radiation exposure;

means for communication the signal to a user;

Serial No. 10/811,440

Reply to Office Action of February 23, 2006

wherein the detector is located on an outer surface of the housing; and a surface of a cassette housing that substantially contains the radiation exposure recording medium wherein the detector is in the form of at least one of a sticker, a label and a card that is adhered to the surface of the cassette.

11.-15.(Cancelled)

16. (Original) The radiation exposure recording device of claim 1, wherein the electric signal wireless digital signal is communicated to a cassette reader.

17. (Cancelled)

18. (Currently Amended) The radiation exposure recording device of claim 1, further comprising a second detector, wherein the first detector detects the <u>a</u> first radiation exposure with respect to a first portion of the radiation exposure recording device, and the second detector detects a second radiation exposure with respect to a second portion of the radiation exposure <u>recording</u> device.

19. (Cancelled)

20. (Original) The radiation exposure recording device of claim 1, wherein the detecting of the first radiation exposure includes determining that the first radiation exposure equaled or exceeded a first threshold.

21. (Original) The radiation exposure recording device of claim 1, wherein the detecting of the first radiation exposure includes determining an accumulated amount of radiation exposure.

22.-35. (Cancelled)

36. (New) The radiation exposure recording device of claim 10 further including: a clock circuit providing a current time signal;

a storage circuit communicating with the first detector and the clock circuit to the current time signal at the time of the first radiation exposure; and

wherein the signal is the stored current time from the storage circuit.

- 37. (New) The radiation exposure recording device of claim 10, wherein the radiation exposure recording medium is a radiation-sensitive film.
- 38. (New) The radiation exposure recording device of claim 10, wherein the radiation exposure recording medium is a photostimulable plate.
- 39. (New) The radiation exposure recording device of claim 10, further including a wireless transmitter transmitting the signal as a wireless digital signal to a separate reader.
- 40. (New) The radiation exposure recording device of claim 10, further comprising a second detector, wherein the first detector detects the first radiation exposure with respect to a first portion of the radiation exposure recording device, and the second detector detects a second radiation exposure with respect to a second portion of the radiation exposure device.
- 41. (New) The radiation exposure recording device of claim 1 wherein the clock circuit further communicates with a time synchronization circuit, the time sychronization circuit communicating with a reference time source to verify the time of the clock circuit.
- 42. (New) The radiation exposure recording device of claim 1 wherein the wireless transmitter is a radio transmitter